

PRODUCT DATASHEET

DL IP44 FRAME DN 90 WT

DOWNLIGHT IP44 FRAME | Surface mounting frame for Downlight IP44



Areas of application

- Direct replacement for luminaires with compact fluorescent lamps
- General illumination
- Public areas
- Stairways
- Corridors
- Shops
- Bathrooms

Product benefits

- Easily installed

Product features

- Robust polycarbonate casing
- Mounting accessories included



TECHNICAL DATA

Dimensions & Weight

Diameter	90 mm
Height	47 mm
Product weight	50.00 g





Materials & Colors

Product color	White
Housing color	White
Body material	Polycarbonate (PC)

Application & Mounting

Mounting type	Surface
Mounting location	Ceiling

DOWNLOAD DATA

Documents and certificates	
	User instruction
	Declarations Of Conformity UKCA

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Model	a [mm]	b [mm]	c [mm]	d [mm]	a [mm]	b [mm]	c [mm]	d [mm]	G [mm]
SL-P40020	975	937	6300	933	81	45	-103	-172	
CL-P4130118	938	937	6118	932	61	42	-102	-172	
CL-P416128	838	937	6088	932	81	45	-103	-172	
CL-P4170190	931	937	6192	932	61	42	-102	-172	
CL-P4181214	830	934	6245	934	61	45	-103	-175	

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.