

PRODUCT DATASHEET

DAMP PROOF LED 1500 Housing (1xLP)

LEDVANCE DAMP PROOF LED HOUSING | Damp-proof luminaire for T8 LED lamps



PRODUCT BENEFITS

- Prewired for easy installation of tubular AC LED lamps
- Durable: robust, corrosion-resistant luminaire housing
- Easy installation, no tools required for connection
- 5 years guarantee

PRODUCT FEATURES

- Luminaire housing, available for 1 or 2 T8 LED lamps
- Type of protection: IP65
- Suitable for SubstiTUBE EM/UN and SubstiTUBE Connected




TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	0 Hz

Dimensions & weight



Length	1565 mm
Width	89.0 mm
Height	92.0 mm
Product weight	1450.00 g

Colors & materials

Body material	Polycarbonate (PC)
Housing color	Gray
Product color	Gray

Temperatures & operating conditions

Ambient temperature range	-30...40 °C
---------------------------	-------------

Lifespan

Lifespan L70 at 25 °C	30000 h
-----------------------	---------

Additional product data

Mounting type	Suspended/Surface
Mounting location	Ceiling / Wall

Capabilities

Dimmable	No
Type of connection	Terminal, 3-pin

Certificates & standards

Protection class IK (shock resistance)	IK08
Type of protection	IP65
Standards	CE

EQUIPMENT / ACCESSORIES

- All required accessories included
- Stainless steel clamps with safety screws included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075000988	DAMP PROOF LED 1500 Housing (1xLP)	Shipping carton box 12	1590 mm x 219 mm x 276 mm	96.11 dm ³	20136.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

REFERENCES / LINKS

For Guarantee see

▶ www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.