

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Lines

VK/04267/B/9/C



Recessed fixed spot led, 8W, 4000K, 1.105lm, 15°, CRI>90, IP20, black




IP20



Dimensions



Gallery




Square Dark (overlight) Led

Lines





Model	Power (W)	Beam Angle (°)	Color Temp (K)	Life (h)	IP
VK/04267/B/9/C	8W	15°	4000K	50000	IP20
VK/04267/B/9/D	8W	15°	4000K	50000	IP20
VK/04267/B/9/E	8W	15°	4000K	50000	IP20
VK/04267/B/9/F	8W	15°	4000K	50000	IP20
VK/04267/B/9/G	8W	15°	4000K	50000	IP20
VK/04267/B/9/H	8W	15°	4000K	50000	IP20
VK/04267/B/9/I	8W	15°	4000K	50000	IP20
VK/04267/B/9/J	8W	15°	4000K	50000	IP20
VK/04267/B/9/K	8W	15°	4000K	50000	IP20
VK/04267/B/9/L	8W	15°	4000K	50000	IP20
VK/04267/B/9/M	8W	15°	4000K	50000	IP20
VK/04267/B/9/N	8W	15°	4000K	50000	IP20
VK/04267/B/9/O	8W	15°	4000K	50000	IP20
VK/04267/B/9/P	8W	15°	4000K	50000	IP20
VK/04267/B/9/Q	8W	15°	4000K	50000	IP20
VK/04267/B/9/R	8W	15°	4000K	50000	IP20
VK/04267/B/9/S	8W	15°	4000K	50000	IP20
VK/04267/B/9/T	8W	15°	4000K	50000	IP20
VK/04267/B/9/U	8W	15°	4000K	50000	IP20
VK/04267/B/9/V	8W	15°	4000K	50000	IP20
VK/04267/B/9/W	8W	15°	4000K	50000	IP20
VK/04267/B/9/X	8W	15°	4000K	50000	IP20
VK/04267/B/9/Y	8W	15°	4000K	50000	IP20
VK/04267/B/9/Z	8W	15°	4000K	50000	IP20

Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	4000K
Power	8W
Voltage	220-240V
Fitting	Recessed dark ceiling
Type	Square Downlight LED
Safety class	
Light source	OSRAM
IP Rating	IP20
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Clicks	20.000clicks
Working temperature	< 45°C
PAGE	220 Technical 2024
NICKNAME	Lines

Physical Specifications	
Recessed ceiling	Yes
Color	Black
Material	Aluminium
Width	5cm
Length	21.2cm
Height	3.6cm
Net weight of product (kg)	0.37
Gross weight with inner box (kg)	0.45
Gross weight with master box (kg)	9.83
Cut out	20x4cm depth 3cm

Illumination Data

Lumen	1.105lm
Beam angle	15°
Lighting direction	
Dark light	Yes


Packing Info

Pcs/carton	20pcs
------------	-------

Certification & Warranty

Guarantee	3 years
-----------	---------


Energy Label



VK LEADING LIGHT
VK/04267/B/9/C

A	→
B	→
C	→
D	→
E	←
F	→
G	→

8
kWh/1000h



2019/2015